

The product configuration is as follows:	
hanging fixed wing	LF-G25 rack *1
compound rotor motor	Series 5 * 4
compound rotor electrically controlled	60A*4
compound rotor blade	Carbon anode 16*5.4*2
compound wing actuator	metallic rudder*4
fixed-wing motor	AT Motor *1
fixed wing electric control	Pack*1
fixed blade	17-inch carbon fiber blade *1
accessories package	The aircraft must be equipped with connection wires and components*1
flight control system	A3PRO*1
radio system	Geezit Fit*1
telecontroller	Support*1
battery	30000*2
charger	Support*1
aircraft box	MD-G25 accessory *1
Install Service	Complete installation and commissioning (including 5 days of labor costs)

<p>Product features:</p> <ol style="list-style-type: none"> 1. The body is constructed with carbon fiber, glass fiber, and Kevlar materials. 2. Modular structural design for easy replacement and maintenance 3. Patented design for connector loosening, tool-free assembly and disassembly 4. High-efficiency powertrain with extended endurance 5. Power Redundancy Design to Enhance Overall Flight Safety of Aircraft 6: Optimal load capacity 1.2kg, maximum load capacity 2.5kg 	<p>performance parameter :</p> <p>Flight time: 3 hours with a payload of 1 kg Maximum take-off weight: 13.5 kg Safety weight: 2kg Wing span: 2.5m Body length: 1.26m Wind resistance rating: 5-6 Power source: battery</p>
---	--

